


# Chomsky Classification of Grammars

According to Noam Chomsky, there are four types of grammars – Type 0, Type 1, Type 2, and Type 3. The following table shows how they differ from each other –

<b>Grammar Type</b>	<b>Grammar Accepted</b>	<b>Language Accepted</b>	<b>Automaton</b>
Type 0	Unrestricted grammar	Recursively enumerable language	Turing Machine
Type 1	Context-sensitive grammar	Context-sensitive language	Linear-bounded automaton
Type 2	Context-free grammar	Context-free language	Pushdown automaton
Type 3	Regular grammar	Regular language	Finite state automaton

Take a look at the following illustration. It shows the scope of each type of grammar –



## Type - 3 Grammar

**Type-3 grammars** generate regular languages. Type-3 grammars must have a single non-terminal on the left-hand side and a right-hand side consisting of a single terminal or single terminal followed by a single non-terminal.

The productions must be in the form  $X \rightarrow a$  or  $X \rightarrow aY$

where  $X, Y \in N$  (Non terminal)

and  $a \in T$  (Terminal)

The rule  $S \rightarrow \epsilon$  is allowed if  $S$  does not appear on the right side of any rule.

## Example

```
X → ε  
X → a | aY
```

$Y \rightarrow b$

## Type - 2 Grammar

**Type-2 grammars** generate context-free languages.

The productions must be in the form  $A \rightarrow \gamma$

where  $A \in N$  (Non terminal)

and  $\gamma \in (T \cup N)^*$  (String of terminals and non-terminals).

These languages generated by these grammars are recognized by a non-deterministic pushdown automaton.

### Example

```
S → X a
X → a
X → aX
X → abc
X → ε
```

## Type - 1 Grammar

**Type-1 grammars** generate context-sensitive languages. The productions must be in the form

$$\alpha A \beta \rightarrow \alpha \gamma \beta$$

where  $A \in N$  (Non-terminal)

and  $\alpha, \beta, \gamma \in (T \cup N)^*$  (Strings of terminals and non-terminals)

The strings  $\alpha$  and  $\beta$  may be empty, but  $\gamma$  must be non-empty.

The rule  $S \rightarrow \epsilon$  is allowed if S does not appear on the right side of any rule. The languages generated by these grammars are recognized by a linear bounded automaton.

### Example

$AB \rightarrow AbBc$

$A \rightarrow bcA$

$B \rightarrow b$

## Type - 0 Grammar

**Type-0 grammars** generate recursively enumerable languages. The productions have no restrictions. They are any phase structure grammar including all formal grammars.

They generate the languages that are recognized by a Turing machine.

The productions can be in the form of  $\alpha \rightarrow \beta$  where  $\alpha$  is a string of terminals and nonterminals with at least one non-terminal and  $\alpha$  cannot be null.  $\beta$  is a string of terminals and non-terminals.

## Example

$S \rightarrow ACaB$

$Bc \rightarrow acB$

$CB \rightarrow DB$

$aD \rightarrow Db$